



WWW.JMTLEATHER.COM.CN

WWW.JMTLEATHER.COM

## MILANO COLLECTION:



A bold pigmented leather with a light hair cell emboss, available in 79 colour ways. Suitable for all domestic and contract applications.

**100% MADE IN ITALY.**

### COLOUR SELECTION:



White9998

Polar White5157


Old English White  
5217

Butter2999

Natural 5196

Blue grey 1020

Crochet 5199



Cotton 9976

Jadegreen 5673

Jadeblue 5670

Lagoon 7835

Pine 7005

Seagrass 7540

Amazonas 7810



Rose white 5021

Blush 5044


Henna 5045

Mauve 5252

Creeksand 2150

Crimson 2310


Praline 2499



**Walnut 2497    Café latte 2962    Loam 2216    Powdered Pepper 2011    Oak 3650    Sand stone 2012    Spelt 2160**



**Green Olive 7560    Flax 2971    Gobi 2987    Cactus 2975    Sandal Wood 5206    Plaster 2122    Linen 2908**



**Moor 2490    Arabic 2972    Brown 0972    Pacific 5984    Midnight blue 5901    Black 2522    Sapphire 5830**



**Royal navy 5295    Delft blue 5146    Red pepper 4268    Diamond red 4985    Zinfandel 4970    Basalt 1060    Essential 5197**



**Quartz 2123    Khaki 8975    Lemon 7520    Milk Chocolate 2986    Yellow ochre 8720    Latte macchiato 2230    Avocado 7580**



**Ivory 5020    Toast 5151    Sable 5209    Mink 5189    Copper brown 5188    Dark saddle 5148    Gold 5149**



**Lilac 4160    Ruby 0906    Orange 5186    China Red 5215    Bracken 5237    Pastel Green 5185    Loden 5184**



**Bottle Green 5231    Patina 5183    Cambridge 5192    Iceberg 5218    Lime Flower 5210    Grey 5219    Iron Grey 5200**



Charcoal Grey 5221 Artichoke 7980

*For Leather swatch, please get in touch with the JMT sales team.*

**GENERAL DETAILS**

Category	Pigmented
Application	Furniture
Raw Material	North European Hides
Country of Production	Italy
Average Hide Size sqft	55-60 sqft
Average Thickness mm	0.9-1.1
Colour Checking	D65 Daylight
Appearance	Conform to the master

<b>CHARACTERISTIC</b>	<b>TEST METHOD</b>	<b>M.U.</b>	<b>PERFORMANCE</b>
Thickness	ISO2589	mm	0.9-1.1
Dry Rub Fastness	EN ISO 11640	Grey Scale	Dry 500 cycles $\geq$ 4
Wet Rub Fastness	EN ISO 11640	Grey Scale	Wet 250 cycles $\geq$ 3/4
Perspiration Rub Fastness	EN ISO 11641	Grey Scale	Perspiration 80 cycles $\geq$ 3/4
Finishing Adhesion	EN ISO 11644	N/10 mm	$\geq$ 2
Flexing Endurance	EN ISO 5402	Visual	50,000 cycles (no cracks)
Colour Fastness to Light	EN ISO 105-B02	Blue Scale	$\geq$ 5
Tear Strength – Single edge	EN ISO 3377-1	N	>20
Tensile Strength	EN ISO 3376	N/mm <sup>2</sup>	>10
Colour Fastness to Water Spotting	EN ISO 15700	Grey Scale	>3
pH and $\Delta$ pH	EN ISO 4045	Min 3,2 - $\Delta$ pH $\leq$ 0.7 if pH<4	Pass
Burning Behaviour to cigarette and match flame	BS 5852:1979-BS EN 1021-1/ EN 1021-2		Pass
Chemical Characteristic	Article processed in conformity with Reach regulation		

**LEATHER FEATURES AND CARE:**

Characteristics not presented in this document are not applicable or not defined by producer. Additional requirements must be specified by the Customer before making the purchase order. Results of tested characteristics are an average of results found on standard productions. Eco and Environmental safety conformity to CE 1907/2006 REACH is assured until shipment. In case of further chemical treatments, it is the customer's responsibility to verify the chemical compatibility and that the chemicals used, do not impact on the conformity of the leather. JMT Leather will not respond legally in case of missed indications checking. Hides must be worked maintaining an internal humidity of the hide of 10-12% and using a process temperature not higher than 60°C/140°F to avoid any change of the hides mechanical properties and aspect. Do not put over weights on hides during stock, same goes for finished furniture. Stock hides and finished furniture in dry ambient with temperature 15/40°C - 59/104°F. Avoid using any solvent or lotion because they could weaken finishing adhesion. Heat guns shrink wrapping and any other source of heat must be avoided. Avoid using any wrapping/packing material that may react with the leather or finished furniture. Natural growth features, colour and structure differences (uneven appearance) are indications of genuineness (visible/clearly visible). Natural defects such as scars, growth marks and insect bites are normal hide characteristics and are not part of the leather production process. The initial leather smell is typical of the material. Colour and structure differences compared with the sample furniture and leather specimens are possible. To maintain the initial characteristics of goods produced with our articles, it is recommended to follow these instructions: keep them in dry ambient at room temperature. Keep leather away from sunlight and from any sources of heat to avoid colour change and darkening.

Use only recommended leather cleaner and protector products. Totally avoid multi-purpose cleaning products. Before using cleaning product, try it on a hidden surface. Clean stains as fast as possible; beverage stains could be removed dabbing with blotting paper without rubbing, then pass gently a white wet cloth on the stain, from external to internal side. After drying, polish it with a soft dry cloth. For domestic furniture, fully clean and re-protect your leather furniture at least every six months. For contract furniture, we recommend a regular cleaning and maintenance program as often as necessary.

**We recommend leather maintenance products by LCK International in Germany.**

# CONTACT US:

## **Tianjin Office**

E19 Universal Enterprise Park, No. 1 Si Zhi Road,  
Universities Industrial Zone, Jingwu Town, Xiqing  
District, Tianjin, 300382. (JMT China Center)  
Tel: +86 (022) 2825 3667 Fax: +86 (022) 2822 9114  
Email: salescn@jmtleather.com.cn

## **Singapore Office**

74A Meyer Road  
Singapore 437900  
Tel: +65 8403 8168  
Email: sales@jmtleather.com

## **Melbourne Office**

Tel: +61 452 464 033  
Email: sales@jmtleather.com  
Email: lisa@jmtleather.com.au

